

**DATE:        OCTOBER 20, 2005**

**TO:           ALL INTERESTED PARTIES**

**RE:           M. V. HYAK**  
**DOCKSIDE PRESERVATION**  
**CONTRACT 00-7039**

**ADDENDUM NO. 8**

This is to inform you of the following updates and changes to the Invitation For Bids (IFB) for the above-referenced project:

**BIDDER INFORMATION**  
**SPECIFICATIONS**  
**SAMPLE FORMS**  
**IFB Volume I**

Attached hereto and incorporated herein are revisions to the IFB Bidder Instructions, Technical Specifications and the IFB Bid Form documents.

**QUESTION AND ANSWER**

Attached hereto and incorporated is one (1) Question and Answer regarding the IFB Technical Specifications document.

All other terms and conditions remain unchanged. All bidders will be required to acknowledge receipt of this Addendum on the Bid Form. All Addenda will become a part of the Contract.

Sincerely,

Barbara Olson  
Contracts Coordinator

Attachment

## **ATTACHMENT TO ADDENDUM NO. 8**

### **BIDDER INSTRUCTIONS IFB Volume I**

#### **DBE AND OJT GOALS Section 10**

Page 9, lines 23 - 26. Paragraph B. Delete the entire text and replace with the following new text:

“There is no On-the-Job Training (OJT) goal established for this Contract.”

#### **ON THE JOB TRAINING Exhibit A**

Page 1, lines 24 - 26. After the word “follows:”, insert “0”, and delete the entire parenthetical statement on line 26.

### **TECHNICAL SPECIFICATIONS IFB Volume I**

#### **BILGE CLEANING (New) Item 12**

Page 32, lines 9 - 35. Delete the title and the entire text in Item 12 Bilge Painting, and replace with the following new title and text:

#### **“ 12. BILGE CLEANING**

- A. Coordinate the bilge cleaning with engine room removals and oily water separator Holding Tank Installation.
- B. Areas to be cleaned:
  - 1. In each engine room: the area from the deck plate level and from frame 6 to frame 26 including all piping, structures and foundations including the tops of beams and deck plate structure.

2. Prior to commencement of cleaning, protect all electrical cable, junction boxes, and electrical controllers ect.
  3. Thoroughly degrease and clean the areas to be cleaned by a water wash to SSPC-SP 12/NACE 5 Low Pressure Water Cleaning (LP WC) WJ-3 and appropriate cleaning solution.
- C. Upon completion of cleaning, ensure the areas to be cleaned are free of cleaner and are dry.”

## **PASSENGER ELEVATOR INSTALLATION**

### **Item 19**

Page 42, line 39. After the word “connected.”, add the following new text:

“The weight of the elevator assembly is approximately 41,000 pounds.”

## **BID FORM**

### **IFB Volume I**

## **BILGE CLEANING**

### **Item 12**

Page 2, Item No. 12. In the ITEM Column, delete the words “Bilge Painting” and replace with “Bilge Cleaning.

Attached hereto and incorporated herein is: (i) revised page 2 of the IFB Bid Form, (for all plan holders); and (ii) a revised IFB Bid Form (for prequalified bidders only) incorporating the above revision. The revised Bid Form supersedes and replaces the IFB Bid Form issued in the original IFB Package.

## **QUESTION AND ANSWER**

1. Q. [IFB Volume II B, Contract Guidance Drawing]

Drawing 52900010-L121002 “Lifting of Elevator” does not include a net lifting weight. For estimating purposes, please provide the anticipated installation weight of the elevator assembly.

- A. Please see the revisions to the IFB Technical Specifications in this IFB Addendum.

( **END** )